

## **Declaration of Performance**

Kooltherm<sup>®</sup> K7

## 1000.CPR.2013.K7.004

Unique identification code of the product-type: Intended use/es: Manufacturer: System/s of AVCP: Harmonised technical specification Notified body/ies: Kooltherm<sup>®</sup> K7 Thermal insulation for buildings Kingspan Insulation Ltd, Herefordshire HR6 9LA,UK System 3 BS-EN 13166:2012+A2:2016 University of Salford NB 1145.B.I.T.S NB 1334.Exova NB 1104

Essential characteristics		Performance
Thermal resistance	Thermal resistance $R_D$ ((m <sup>2</sup> .K)/W)	$\begin{array}{cccc} d_N & 25mm & 1.15 \\ d_N & 30mm & 1.40 \\ d_N & 40mm & 1.90 \\ d_N & 50mm & 2.50 \\ d_N & 60mm & 3.00 \\ d_N & 70mm & 3.50 \\ d_N & 80mm & 4.00 \\ d_N & 90mm & 4.50 \\ d_N & 100mm & 5.00 \\ d_N & 100mm & 6.00 \\ d_N & 120mm & 6.50 \\ d_N & 120mm & 6.50 \\ d_N & 140mm & 7.00 \\ d_N & 150mm & 7.50 \\ \end{array}$
	Thermal conductivity $\lambda_D$ (W/(m.K))	d <sub>N</sub> 25-44mm 0.021 d <sub>N</sub> 45-150mm 0.020
	Thickness tolerance	d <sub>N</sub> 20-200mm T1
Reaction to fire	Reaction to fire	RtF NPD
Durability of reaction to fire against heat, weathering, ageing / degradation	Durability Characteristics	NPD
Durability of thermal resistance against heat, weathering, ageing/ degradation	Durability Characteristics	NPD
	Dimensional stability under specified temperature and humidity condition	DS(70,90)
		DS(-20,-)
	Thermal conductivity $\lambda_D$ (W/(m.K))	d <sub>N</sub> 25-44mm 0.021 d <sub>N</sub> 45-150mm 0.020
	Determination of the aged values of thermal resistance and thermal conductivity	RD and λD
Compressive strength	Compressive stress or compressive strength	CS(Y)120
Tensile / Flexural strength	Tensile strength perpendicular to faces	NPD
Durability of compressive strength against ageing / degradation	Compressive creep	NPD
Water permeability	Short term water absorption	NPD
	Long term water absorption	NPD

www.kingspaninsulation.co.uk/Dop/K7



## **Declaration of Performance**

	Closed cell content	CV
Water vapour permeability	Water vapour transmission	NPD
	Closed cell content	CV
Release of dangerous substances to the indoor environment	Release of dangerous substances	NPD
NPD: No Performance Determined		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Not from

Ralph Mannion Managing Director UK and Ireland Pembridge, England, UK Version 4 Version date 1/1/2019 First signed 1/1/2019